## MATERIAL SAFETY DATA SHEET

	MATERIAL SA	FETY D	AIA SHEE!					
Manufacturer: S	Schaeffer Mfg. Company Emergency Response Number:							
	102 Barton Street 314-865-4105 or							
	St. Louis, MO 63104 <b>800-325-9962</b>							
7(44:400	SECTION 1 -	PRODUCT I	NFORMATION					
Chemical Family: Petroleum Hydrocarbons and Additives Trade Name: #229 Ultra Red E.P. #2								
Formula: Solvent refined paraff	in base oils, aluminum comple	x thickener,	extreme pressure	additives, ru	st and oxida	tion inhibite	ors,	
molybdenum oxysulfide dithioca	rbamate							
			SINGREDIENTS	·				
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES  Antimony Dibutyldithiocarbamate  Molybdenum Dibutyldithiocarbamate		CAS		Exposure Limits TVL PEL				
		Number	%				mg/m <sup>3</sup>	
		45555.55		ppm	mg/m³	ppm	.5	
		15890-25-	2 1-3		(as Sb)		.5	
		68412-26-	0 .5-1.5	-	10		15	
Molybdenum Dibutylditniocarbamate Teflon		9002-84-		<b> </b>	NE			
100% Paraffin Base Oils		64742-54-			5	·······	5	
100 /0 / didini Bacc cite	64742-65-							
•		64742-57-						
		64742-62			ļ		<u> </u>	
Polyalphaolefin Synthetic Base Fluids 68037-01-4 3-5 5 5							1 2	
Section 3 – PHYSICAL DATA  Boiling Point: >600°F/315.5°C Specific Gravity: .95								
Boiling Point:	>600°F/315.5°C	% Volati				Not Determined		
Vapor Pressure (mm, Hg):	<.1 Not Determined			Not Determined  Not Applicable				
Vapor Density (Air = 1): Solubility in Water:	Not Determined  Negligible	Evapora pH:	tion Rate: (=1)		Not Applicable  Not Applicable			
Appearance and Odor: Red co		I Mili				-1, Thuan		
Appearance and Odor. Ned Co	SECTION 4 - FIRE A	ND EXPLO	SION HAZARD DA	ATA				
Flash Point (Method) °F/°C: 518°F/270°C Flammability Limits UEL & LELNot Determined								
Extinguishing Media: Carbon dioxide foam, dry chemical foam, sand, earth, waterfog.								
Special Fire Fighting Procedu	ires: For fires involving this ma	terial, do no	t enter any enclos	ed or confin	ed space wit	hout protec	ctive	
equipment including self-contain	ned breathing apparatus.							
Unusual Fire & Explosion Ha:								
		EACTIVITY	HAZARD DATA	4	1	NOT OO	311D	
STABILITY [X] STABL			dous Decomposi	tion[]VVII	L [X] VVIL	L NOT OC	JUR	
Conditions to Avoid: High hea		<u> </u>						
Incompatibility (Mat. to avoid): Strong oxidizers Hazardous Decomposition Products: Oxides of carbon, sulfur, antimony, and nitrogen								
Conditions to Avoid: None								
SECTION 6 - HEALTH HAZARD DATA								
Threshold Limit Value and So								
Threshold Limit Value and Sources: 5.0/mg/m³ for oil mist. OSHA & ACGIH.  Acute Effects of Overexposure:								
Ingestion: Nausea and Diarrhea. Tackiness agents in this product may be possibly coagulated by stomach acids.								
Eye Contact: Irritation and redness to eyes								
Skin Contact: Prolonged and repeated contact with the skin can cause a mild skin irritation.								
Inhalation: Vapors can be given off under high heat conditions excessive breathing of vapors can cause irritation of the								
respiratory tract.								
CHRONIC EFFECTS OF OVEREXPOSURE: If ingested in large amounts or repeatedly, damage to the cardiovascular system and respiratory tract can occur.								
Emergency and First Aid Pro	cedures:							
Swallowing: If a large a	mount of this material is swallo	wed give a	large amount of wa	ater to drink.	Do not indu	ice vomiting	g. Seek	
medical at	ention immediately. Treat med	lically for po	ssible abdominal b	lockage.				
Skin: Wash skin thoroughly with soap and water. Launder contaminated clothing.								
Inhalation: Remove victim to fresh air. If breathing is labored administer oxygen. If breathing has stopped start artificial								
	immediately.			tr				
Eyes: Flush eyes	with clear, cool, clean water f				ediately			
F			AK PROCEDURE		those acco	ciated with	oil spills	
Environmental Impact: This material is not expected to present any environmental problems other than those associated with oil spills. If spilled into a watercourse, call the Coast Guard Toll Free No. 800-424-8802.								
Procedures To Be Taken If Material Is Released or Spilled: Immediately absorb spilled material with absorbent clay, diatomaceous								
earth or other suitable material. Keep out of sewers and waterways. Turn off all sources of ignition.								
Waste Disposal Method: Dispose of at an approved waste or disposal site facility in accordance with all applicable federal, state and								
local laws and regulations.								
SECTION 8 – SPECIAL PROTECTION INFORMATION								
Respiratory Protection: None required under ordinary conditions of use.								
Ventilation: No special requirement under ordinary conditions of use and with adequate ventilation.								
Eye Protection: Goggles of face shield.								
Protective Clothing:	Protective Clothing: None required.							

Date Revised: 10/5/2005

## SECTION 9 - SPECIAL PRECAUTIONS

Precautions To Be Taken In Handling and Storage: Do not store near heat, spark, flame or strong oxidizers. Keep containers closed when not in use.

Special Comments: Remove oil soaked clothing, launder before reuse. Wash skin thoroughly with soap and water after handling. Keep away from food and feed products. Throw away oil soaked shoes.

## SECTION 10 - ADDITIONAL HEALTH AND TOXICOLOGICAL DATA

HMIS & NFPA Ratings: Health = 1

alth = 1 Fire = 1

Reactivity = 0

This product does not contain any of the chemicals listed on the National Toxicology Program Annual Reports on Carcinogens, The International Agency for Cancer Research Monographs and OSHA's 1910.10 Subpart Z List.

This product does not contain any chemicals that are found on the State of California's Proposition 65 List for chemicals classified as potential reproductive or cancer causing agent.

CERCLA 102(a) Information: This product contains 1-3 % Antimony Dithiocarbamate CAS#15890-25-2.

All of the components in this material are on the US TSCA Inventory and are in compliance with the Canadian Environmental Protection Act.

Although the information and recommendations set forth herein (hereafter referred to as information) are presented in good faith and believed to be accurate and factual as of the date hereof, Schaeffer Mfg. Company makes no representation as to the completeness or accuracy thereof. Information is supplied upon the condition that the person receiving the same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will Schaeffer Mfg. Company be responsible for damages of any natures whatsoever resulting from the use or reliance upon information. No representation or warranty, either expressed or implied, of merchantability or fitness for a particular purpose is made with respect to information of the product to which the information refers.