Jones Chemicals Inc.

SAFETY DATA SHEET



1. Identification

Product identifier Sodium Hydroxide Solution 5 - 30%

Other means of identification

SDS number 14020000

Synonyms Caustic Soda, Caustic, Caustic Soda Solution, Sodium Hydroxide, Caustic Alkali, Lye,

Caustic Lye.

Recommended use Neutralization of acids, pH control, gas scrubbing, catalyst. Used in manufacture of pulp and

Paper, petroleum and natural gas, soap and detergents, and cellulosics. Also used in water

Treatment, food processing, mining, and metal processing.

Recommended restrictions None known.

Manufacturer / Importer / Supplier / Distributor information

Company name

Address

JCI Jones Chemicals, Inc.
1765 Ringling Boulevard
Sarasota, FL 34236

General Information

Telephone (800) 477-1078 Website www.jcichem.com

Emergency phone number CHEMTREC

US: 1-800-424-9300 Canada: 1-800-567-7455

2. Hazard(s) identification

Physical hazardsCorrosive to metalsCategory 1Health hazardsAcute toxicity, oralCategory 4Skin corrosion/irritationCategory 1Serious eye damage/eye irritationCategory 1

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage.

Precautionary statement

Prevention Keep only in original container. Wear protective gloves/protective clothing/eye protection/face

protection. Do not eat, drink or smoke when using this product. Do not breathe mist or vapor.

Wash thoroughly after handling.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If inhaled: Remove person to fresh air and

keep comfortable for breathing. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center/doctor/. Wash contaminated clothing before reuse. Absorb spillage to prevent material

damage.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

Not classified.

Environmental hazards Hazardous to the aquatic environment, Category 3

acute hazard.

Sodium Hydroxide Solution 5 - 30%

14020000 Version #: 01 Revision date: - Issue date: 3-March-2015

1 / 7

Supplemental information

Hazard statement

Harmful to aquatic life.

Precautionary statement

Prevention

Avoid release to the environment.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Sodium hydroxide	1310-73-2	5 - 30

4. First-aid measures

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If breathing stops, provide artificial

respiration. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician or poison control center immediately.

Skin contact Take off immediately all contaminated clothing. Wash off IMMEDIATELY with plenty of water for at

least 15-20 minutes. Get medical attention immediately! Wash clothing separately before reuse.

Destroy or thoroughly clean contaminated shoes

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Do not induce vomiting. Immediately rinse mouth and drink plenty of water. If vomiting occurs, keep head low so that stomach content doesn't

get into the lungs. Never give anything by mouth to an unconscious person. Do not use

mouth-to-mouth method if victim ingested the substance.

Most important

symptoms/effects, acute and

delayed

Burning pain and severe corrosive skin damage. Permanent eye damage including blindness could result. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Shortness of breath.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Keep victim under observation.

General information

In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing agent suitable for type of surrounding fire.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire. Do not use halogenated extinguishing agents.

Specific hazards arising from the chemical

The product itself does not burn. May decompose upon heating to produce corrosive and/or toxic fumes. Contact with metal may release flammable hydrogen gas.

Special protective equipment and precautions for firefighters

Fire fighters should enter the area only if they are protected from all contact with the material. Full protective clothing, including self-contained breathing apparatus, coat, pants, gloves, boots and bands around legs, arms, and waist, should be worn. No skin surface should be exposed.

Fire-fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Following product recovery, flush area with water.

Small Spills: Absorb spill with vermiculite or other inert material. Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Sodium Hydroxide Solution 5 - 30%

7. Handling and storage

water while stirring to minimize heat generation. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Do not breathe mist or vapor. Use only with adequate ventilation. Wear appropriate personal protective equipment. Transfer and storage systems should be compatible

and corrosion resistant. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a cool, dry, well-ventilated place. Store in corrosive resistant container with a resistant inner liner. Store away from incompatible materials (See Section 10). Store at temperatures not exceeding 40°C/104°F. Compatible storage materials may include, but not be limited to, the following: nickel and nickel alloys, steel, plastics, plastic or rubber-lined steel, FRP, or Derakane vinyl ester resin. Do not allow material to freeze.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
Sodium hydroxide (CAS 1310-73-2)	PEL	2 mg/m3

US. ACGIH Threshold Limit Values

Components	Туре	Value
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3

US NIOSH Pocket Guide to Chemical Hazards: Ceiling Limit Value and Time Period (if specified)

Components	Туре	Value
Sodium hydroxide (CAS	Ceiling	2 mg/m3
1310-73-2)		

Biological limit values

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection

Skin protection

Wear chemical goggles and face shield.

Hand protection Wear appropriate chemical resistant gloves.Other Wear appropriate chemical resistant clothing.

Other Wear appropriate chemical resistant clothing

Respiratory protection If engineering controls do not maintain airbo

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Respirator type: Chemical respirator with

organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Viscous liquid.

Physical state Liquid.
Form Liquid.
Color Water white.
Odor Odorless.
Odor threshold Not available.

pH 14 (77 °F (25°C)) (0.5% solution)

Melting point/freezing point 35 °F (1.67 °C) (30% solution)

Initial boiling point and boiling

range

235 °F (112.78 °C) (30% solution)

Flash point Not available.

14020000 Version #: 01 Revision date: - Issue date: 3-March-2015 3 / 7

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

23.76 mm Hg (approximately) (77 °F (25 °C)) Vapor pressure

Vapor density Not available.

1.33 (30% solution) Relative density

Relative density temperature 68 °F (20 °C)

Solubility(ies) Completely miscible with water.

Partition coefficient

(n-octanol/water)

Not available.

Not available. **Auto-ignition temperature Decomposition** temperature Not available. Not available. **Viscosity**

Other information

1.33 g/cm3 (68 °F (20 °C)) (30% solution) **Density**

Molecular formula NaOH

10. Stability and reactivity

Reactivity Contact with metal may release flammable hydrogen gas.

Chemical stability Material is stable under normal conditions. Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Reacts violently with strong acids. This product may react with oxidizing agents. Do not mix with

> other chemicals. Corrosive to aluminum, tin, zinc, copper and most alloys in which they are present including brass and bronze. Corrosive to steels at elevated temperatures above 40°C

(104°F).

Incompatible materials Oxidizing agents. Acids. Phosphorus. Aluminum. Zinc. Tin. Initiates or catalyzes violent

polymerization of acetaldehyde, acrolein or acrylonitrile.

Hazardous decomposition

products

Contact with metals (aluminum, zinc, tin) and sodium tetrahydroborate liberates hydrogen gas.

11. Toxicological information

Information on likely routes of exposure

Causes digestive tract burns. Harmful if swallowed. Ingestion May cause irritation to the respiratory system. Inhalation

Skin contact Causes severe skin burns.

Causes severe eye burns. Causes serious eye damage. Eye contact

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Permanent eye damage including blindness

could result.

Information on toxicological effects

Harmful if swallowed **Acute toxicity**

Test Results Product Species

Sodium Hydroxide Solution 10 - 30%

Acute

Dermal

LD50 Rabbit > 2 g/kg

Oral

LD50 Rat 300 - 500 mg/kg

Sodium Hydroxide Solution 5 - 30%

14020000 Version #: 01 Revision date: - Issue date: 3-March-2015 4/7 **Product Test Results Species**

Other

LD50 Mouse 40 mg/kg, Intraperitoneal

Skin corrosion/irritation Causes severe skin burns and eye damage.

Standard Draize Test: 500 mg/24 hour(s) skin - rabbit severe.

Serious eye damage/eye

irritation

Causes severe eye burns. Causes serious eye damage.

Standard Draize Test: 400 µg eyes - rabbit mild; 1 percent eyes - rabbit severe.

Respiratory sensitization No data available. Skin sensitization No data available.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

Reproductive toxicity No data available. Specific target organ toxicity -Not available.

single exposure

Specific target organ toxicity repeated exposure

Not available.

Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious **Aspiration hazard**

chemical pneumonia.

Chronic effects Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity Harmful to aquatic life.

Product Test Results Species

Sodium Hydroxide Solution 10 - 30%

Aquatic

Fish LC50 Bluegill (Lepomis macrochirus) 99 mg/l, 48 hours Mosquitofish (Gambusia affinis affinis) 125 mg/l, 96 hours

Persistence and degradability Expected to degrade rapidly in air.

Bioaccumulative potential The product is not expected to bioaccumulate.

Mobility in soil Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN1824

UN proper shipping name Sodium hydroxide solution

Transport hazard class(es) 8 Subsidiary class(es) Ш **Packing group**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

B2, IB2, N34, T7, TP2 **Special provisions**

14020000 Version #: 01 Revision date: - Issue date: 3-March-2015 5/7 Packaging exceptions154Packaging non bulk202Packaging bulk242

IATA

UN number UN1824

UN proper shipping name Sodium hydroxide solution

Transport hazard class(es) 8
Subsidiary class(es) Packaging group II
Environmental hazards No
Labels required 8
ERG Code 8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN1824

UN proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) 8
Subsidiary class(es) Packaging group ||
Environmental hazards

Marine pollutantNoLabels required8EmSF-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Sodium hydroxide (CAS 1310-73-2) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - Yes

SARA 302 Extremely hazardous substance

No

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug Not regulated.
Administration (FDA)

US state regulations

Sodium Hydroxide Solution 5 - 30%

US. Massachusetts RTK - Substance List

Sodium hydroxide (CAS 1310-73-2)

14020000 Version #: 01 Revision date: - Issue date: 3-March-2015 6 / 7

SDS US

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Sodium hydroxide (CAS 1310-73-2)

US. Rhode Island RTK

Sodium hydroxide (CAS 1310-73-2)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

International Inventories

Country(s) or region

,,,	•	, ,
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

Inventory name

Issue date 3-March-2015

Revision date - 01

United States & Puerto Rico

NFPA Ratings



List of abbreviations LD50: Lethal Dose, 50%.

LC50: Lethal Concentration, 50%. EC50: Effective concentration, 50%. TWA: Time weighted average.

References EPA: AQUIRE database

HSDB® - Hazardous Substances Data Bank

US. IARC Monographs on Occupational Exposures to Chemical Agents

IARC Monographs. Overall Evaluation of Carcinogenicity

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Olin Chlor Alkali Products Safety Data Sheet

Disclaimer This information is provided without warranty. The information is believed to be correct. This

information should be used to make an independent determination of the methods to safeguard

workers and the environment.

14020000 Version #: 01 Revision date: - Issue date: 3-March-2015

On inventory (yes/no)*

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).