

SAFETY DATA SHEET

Issue Date 06-Jul-2016

Revision Date 18-Nov-2016

Version 4

Page 1/21

1. IDENTIFICATION

Product identifier

Product Name

StablCal ® Standard, 20 NTU

Other means of identification

Product Code(s)

2660101

Safety data sheet number

M03409

Recommended use of the chemical and restrictions on use

Recommended Use

Laboratory Use. Standard solution.

Uses advised against

None.

Restrictions on use

None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA (970) 669-3050

Emergency telephone number

(303) 623-5716 - 24 Hour Service (515)232-2533 - 8am - 4pm CST

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization	Category 1
Skin sensitization	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word - Danger



Product Name StablCal ® Standard, 20 NTU Revision Date 18-Nov-2016 Page 2 / 21

Hazard statements

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317 - May cause an allergic skin reaction EUH208 - May produce an allergic reaction

Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P284 - Wear respiratory protection

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Information

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

<u>Mixture</u>

Chemical Family

Mixture.

Percent ranges are used where confidential product information is applicable.

Chemical Name	CAS No	Percent Range	HMRIC#
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	5 - 10%	_
Sodium sulfate	7757-82-6	0.1 - 1%	
Formaldehyde	50-00-0	<0.1%	_
Ammonium sulfate	7783-20-2	<0.01%	-

Product Name StablCal ® Standard, 20 NTU Revision Date 18-Nov-2016

Page 3/21

4. FIRST AID MEASURES

Description of first aid measures

General advice IF IN EYES: Flush eyes for at least 15 minutes. May cause allergic skin reaction. Repeated

contact may cause allergic reactions in very susceptible persons.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact For minor skin contact, avoid spreading material on unaffected skin. IF ON SKIN (or hair):

Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Remove and isolate contaminated clothing and shoes. Call a POISON CENTER or doctor if you feel unwell. If skin irritation persists, call a

physician. May cause an allergic skin reaction. Consult a physician if necessary.

Inhalation May cause allergic respiratory reaction. If experiencing respiratory symptoms: Call a

POISON CENTER or doctor/physician.

Ingestion IF SWALLOWED: Rinse Mouth. If symptoms persist, call a physician.

Self-protection of the first aider

Use personal protective equipment as required. Ensure that medical personnel are aware

of the material(s) involved and take precautions to protect themselves.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11: TOXICOLOGICAL INFORMATION.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Causes sensitization.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Small Fire

Dry chemical or CO2.

Unsuitable extinguishing media No information available.

Flammable properties

During a fire, this product decomposes to form toxic gases.

Specific hazards arising from the chemical

May react violently with. Strong acids. Strong oxidizers. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization in susceptible persons.

Hazardous combustion products

This material will not burn.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

Product Name StablCal ® Standard, 20 NTU Revision Date 18-Nov-2016

Page 4/21

guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

EC Notice Only persons properly qualified to respond to an emergency involving hazardous

substances should respond to a spill involving chemicals. See Section 13, Special

Instructions for disposal assistance.

WHMIS Notice Only persons properly qualified to respond to an emergency involving hazardous

substances should respond to a spill involving chemicals. See Section 13, Special

Instructions for disposal assistance.

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Do not touch or walk through spilled material. Ventilate

affected area. Use personal protective equipment as required.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. See Section 12 for additional ecological

information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later

disposal.

Methods for cleaning up Neutralize spill if necessary. Soak up with inert absorbent material. Take up mechanically,

placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

Dispose of in accordance with local, state and federal regulations or laws.

Emergency Response Guide Number

Not applicable

7. HANDLING AND STORAGE

Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep container tightly closed. Keep containers tightly

closed in a cool, well-ventilated place.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde <0.1%	Ceiling: 0.3 ppm	TWA: 0.75 ppm (vacated) TWA: 3 ppm (vacated) STEL: 10 ppm (vacated) Ceiling: 5 ppm	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm

Product Name StablCal ® Standard, 20 NTU

Revision Date 18-Nov-2016

Page 5/21

	STEL: 2 ppm	**

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL	New Foundland & Labrador OEL
Formaldehyde	Ceiling: 1 ppm	TWA: 0,3 ppm	Ceiling: 0.3 ppm	TWA: 0.5 ppm	RSP+
<0.1%	Ceiling: 1.3 mg/m³ TWA: 0.75 ppm	Ceiling: 1 ppm SKN+		STEL: 1.5 ppm	Ceiling: 0.3 ppm SKN+
	TWA: 0.9 mg/m ³	5, 41			

Chemical Name	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL	Ontario TWA	Prince Edward Island OEL
1,3,5,7-Tetraazatricyclo[3. 3.1.1(3,7)]decane 5 - 10%	NDF	NDF	NDF	STEL: 0.35 ppm STEL: 2 mg/m ³	NDF
Formaldehyde <0.1%	Ceiling: 0.3 ppm SKN+	RSP+ Ceiling: 0.3 ppm SKN+	Ceiling: 0.3 ppm	STEL: 1 ppm Ceiling: 1.5 ppm	Ceiling: 0.3 ppm

Chemical Name	Quebec OEL	Saskatchewan OEL	Yukon OEL
Formaldehyde	Ceiling: 2 ppm	Ceiling: 0.3 ppm	Ceiling: 2 ppm
<0.1%	Ceiling: 3 mg/m ³	SKN+	Ceiling: 3 mg/m ³

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Legend

See section 16 for terms and abbreviations

Appropriate engineering controls

Engineering Controls

Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Wear tight sealing safety goggles and/or face protection shield. Avoid contact with eyes.

Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Wear suitable gloves and eye/face protection. Wash face, hands and any exposed skin thoroughly after handling. Regular cleaning of equipment, work area and clothing is recommended. Handle in accordance with good industrial hygiene and safety practice. Avoid prolonged or repeated contact with skin. Take off all contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Keep away from food,

drink and animal feeding stuffs.

Environmental exposure controls

Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Gas Under Pressure Not classified according to GHS criteria

Product Name StablCal ® Standard, 20 NTU Revision Date 18-Nov-2016

Page 6/21

Appearance

Turbid solution

aqueous solution

Color

white

Odor

Odorless

Odor threshold

No data available

Property

<u>Values</u>

Remarks • Method

Molecular weight

No data available

рΗ

No data available

Melting point/freezing point

~ 0 °C / 32 °F

Estimation based on theoretical

calculation

Boiling point / boiling range

~ 100 °C / 212 °F

Estimation based on theoretical

calculation

Evaporation rate

1 (water = 1) Estimation based on theoretical

calculation

Vapor pressure

17.477 mm Hg / 2.33 kPa at 20 °C / 68 °F

Estimation based on theoretical

calculation

Vapor density (air = 1)

0.62 (air = 1)

Specific gravity (water = 1 / air = 1)

1.02

Partition Coefficient (n-octanol/water)

Not applicable

Soil Organic Carbon-Water Partition

Coefficient

Not applicable

Autoignition temperature

Decomposition temperature

No data available

. . . .

No data available

Dynamic viscosity

No data available

Kinematic viscosity

No data available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

<u>Chemical Name</u>	Solubility classification	Solubility	Solubility Temperature
None reported	No information available	No data available	No information available

Other Information

Metal Corrosivity

Not classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate

No data available

Aluminum Corrosion Rate

No data available

Volatile Organic Compounds (VOC) Content

No information available.

Product Name StablCal ® Standard, 20 NTU

Revision Date 18-Nov-2016

Page 7/21

Bulk density

Not applicable

Explosive properties

Not classified according to GHS criteria.

Explosion data

No data available

Upper explosion limit

No data available

Lower explosion limit

No data available

Flammable properties

During a fire, this product decomposes to form toxic gases.

Flammability Limit in Air

Upper flammability limit:

No data available

Lower flammability limit:

No data available

Flash point

No data available

Oxidizing properties

Not classified according to GHS criteria.

Reactivity propeties

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

10. STABILITY AND REACTIVITY

Reactivity propeties

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria

Chemical stability

Stable under recommended storage conditions.

Special dangers of the product

No information available

Possibility of Hazardous Reactions

No information available.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Extremes of temperature and direct sunlight. Incompatible materials.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides. Sodium oxides. Sulfur oxides.

Explosive properties

Not classified according to GHS criteria.

Product Name StablCal ® Standard, 20 NTU Revision Date 18-Nov-2016

Page 8/21

Upper explosion limit

No data available

Lower explosion limit

No data available

Autoignition temperature

No data available

Sensitivity to Static Discharge

None reported

Sensitivity to Mechanical Impact

None reported

11. TOXICOLOGICAL INFORMATION

NIOSH (RTECS) Number

None reported

Information on Likely Routes of Exposure

Product Information	Respiratory sensitizer. Skin sensitizer.
Inhalation	May cause sensitization by inhalation.
Eye contact	No known effect based on information supplied.
Skin contact	May cause sensitization by skin contact.
Ingestion	No known effect based on information supplied.
Aggravated Medical Conditions	Respiratory disorders. Skin disorders.
Toxicologically synergistic products	None known.
Toxicokinetics, metabolism and distribution	See ingredients information below.

Chemical Name	Toxicokinetics, metabolism and distribution
Formaldehyde (<0.1%) CAS#: 50-00-0	Readily Absorbed via the respiratory and gastrointestinal routes. Absorbed formaldehyde can be oxidized to formate and carbon dioxide. Half-life of formaldehyde is 1 min in rat plasma.

Product Acute Toxicity Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	7 404 00
A I CINIX (OFAI)	7.101 00 mg/kg

Ingredient Acute Toxicity Data

Oral Exposure Route If available, see data below

A1		T		ii avallable, see data belev	
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Rat LD₅o	569 mg/kg	None reported	None reported	Vendor SDS
Formaldehyde	Rat	100 mg/kg	None	None reported	No information available

Product Name StablCal ® Standard, 20 NTU Revision Date 18-Nov-2016

Page 9/21

(<0.40/ \	LD50	I	ranartad	1	
(<0.1%) CAS#: 50-00-0	LD50		reported		
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Rat LD50	2840 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	Mouse LD50	5989 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human LDLo	70 mg/kg	None reported	Gastrointestinal Ulcerated stomach Liver Other changes Kidney, Ureter, or Bladder Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Man TDLo	1500 mg/kg	None reported	Gastrointestinal Gas	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TDL。	643 mg/kg	None reported	Lungs, Thorax, or Respiration Respiratory obstruction Gastrointestinal Ulcerated stomach Nausea or vomiting	RTECS (Registry of Toxic Effects of Chemical Substances)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Domestic mammal - Not specified LD⊾₀	3500 mg/kg	None reported	Lungs, Thorax, or Respiration Respiratory stimulation	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route If available, see data below Endpoint Key literature references and Reported Exposure Toxicological effects **Chemical Name** dose time sources for data type GESTIS (Information System Formaldehyde 270 mg/kg None reported Rabbit None on Hazardous Substances of (<0.1%) reported LD₅₀

Inhalation (Dust/Mist) Exposure Route

CAS#: 50-00-0

No data available

the German Social Accident Insurance)

Inhalation (Vapor) Exposure Route				If available, see data below	
Chemical Name Endpoint Reported type dose		Exposure time	Toxicological effects	Key literature references and sources for data	
Formaldehyde (<0.1%)	Rat LC50	250 mg/L	4 hours	None reported	RTECS (Registry of Toxic Effects of Chemical
CAS#: 50-00-0					Substances)

Inhalation (Gas) Exposure Route

No data available

<u>Product Skin Corrosion/Irritation Data</u> No data available.

<u>Ingredient Skin Corrosion/Irritation Data</u> If available, see data below

Product Name StablCal ® Standard, 20 NTU Revision Date 18-Nov-2016 Page 10/21

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Organization for Economic Co-operation and Development (OECD) - Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	Open Irritation Test	Guinea pig	100 mg	5 days	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Rabbit	2 mg	24 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)

<u>Product Serious Eye Damage/Eye Irritation Data</u> No data available.

<u>Ingredient Eye Damage/Eye Irritation Data</u> If available, see data below

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Standard Draize Test	Rabbit	100 mg	None reported	Not corrosive or irritating to eyes	ECHA (The Europear Chemicals Agency)
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA (The Europear Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	0.050 mL	None reported	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Rabbit	0.750 mg	24 hours	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)

Sensitization Information

Product Name StablCal ® Standard, 20 NTU

Revision Date 18-Nov-2016

Page 11/21

Product Sensitization Data

Skin Sensitization Exposure Route

No data available.

Respiratory Sensitization Exposure Route

No data available.

Ingredient Sensitization Data

Skin Sensitization Exposure Route

If available, see data below.

Chemical Name	Test method	Species	Results	Key literature references and
				sources for data
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealands Environmental Risk Management Authority)

Respiratory Sensitization Exposure Route If available, see data below.

respiratory consideration Exposure reade			ii dvalidbio, soo data bolow.		
Chemical Name	Test method	Species	Results	Key literature references and sources for data	
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	D)	Human	Confirmed to be a respiratory sensitizer	HSDB (Hazardous Substances Data Bank)	
Formaldehyde (<0.1%) CAS#: 50-00-0	lgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD (Concise International Chemical Assessment Documents)	

Chronic Toxicity Information

Product Repeat Dose Toxicity Data

Oral Exposure Route

No data available.

Dermal Exposure Route

No data available.

Inhalation (Dust/Mist) Exposure Route

No data available.

Inhalation (Vapor) Exposure Route

No data available.

Inhalation (Gas) Exposure Route

No data available.

Ingredient Repeat Dose Toxicity Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

If available, see data below

Inhalation (Vapor) Exposure Route

If available, see data below

Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Human	0.017 mg/L	0.5 days	Eye	RTECS (Registry of Toxic
(<0.1%)	TC _L		•	Lacrimation	Effects of Chemical
CAS#: 50-00-0				Lungs, Thorax, or Respiration	Substances)
				Other changes	·
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data

Product Name StabiCal ® Standard, 20 NTU Revision Date 18-Nov-2016

Page 12/21

(c) 19/)	, ,,,,	
----------	--------	--

Inhalation (Gas) Exposure Route

No data available

Chemical Name	CAS No	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3. 3.1.1(3,7)]decane	100-97-0	_	•	-	
Sodium sulfate	7757-82-6		_	_	
Formaldehyde	50-00-0	A2	Group 1	Known	X
Ammonium sulfate	7783-20-2	_	_	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of	X - Present
Labor)	

Product Carcinogenicity Data

No data available

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Carcinogenicity Data

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route If available, see data below

				strailedio, ood data bolow	
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

No data available

Product Germ Cell Mutagenicity invitro Data

No data available.

Ingredient Germ Cell Mutagenicity invitro Data

If available, see data below

	Chemical Name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and
1				<u> </u>			sources for data

Product Name StablCal ® Standard, 20 NTU Revision Date 18-Nov-2016

Page 13/21

1,3,5,7-Tetraazatricyc lo[3,3,1,1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Cytogenetic analysis	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Morphological transformation	Hamster kídney	10 mg/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Ingredient Germ Cell Mutagenicity invivo Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route If available, see data below

Chemical Name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data	
Formaldehyde (<0.1%) CAS#: 50-00-0	DNA damage	Rat	0.000035 mg/L	8 weeks	Positive test result for		

Inhalation (Vapor) Exposure Route if available, see data below Key literature **Chemical Name** Test **Species** Reported Exposure Results references and dose time sources for data RTECS (Registry Formaldehyde Micronucleus test Human .000985 mg/L 8.5 years Positive test result for of Toxic Effects of (<0.1%)mutagenicity CAS#: 50-00-0 Chemical Substances) **Chemical Name** Test **Species** Reported Exposure Results Key literature dose time references and sources for data Formaldehyde Micronucleus test Human 2 mg/L 15 minutes Positive test result for RTECS (Registry (<0.1%)mutagenicity of Toxic Effects of CAS#: 50-00-0 Chemical Substances)

Inhalation (Gas) Exposure Route No data available

Oral Exposure Route No data available

Dermal Exposure Route No data available

Product Name StablCal ® Standard, 20 NTU Revision Date 18-Nov-2016

Page 14/21

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Reproductive Toxicity Data

Oral Exposure Route

If available, see data below

 - :					
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	Mouse TD⊾₀	14000 mg/kg		Effects on Newborn Other neonatal measures or effects	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route If available, see data below

				ii avaliable, see data below		
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data	
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC⊾₀	40 mg/L	14 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus)	RTECS (Registry of Toxic Effects of Chemical Substances)	
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data	
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC⊾	.001 mg/L	24 weeks	Effects on Embryo or Fetus Cytological changes (including somatic cell genetic material)	RTECS (Registry of Toxic Effects of Chemical Substances)	
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data	
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TCLo	.0005 mg/L	19 days	Specific Developmental AbnormalitiesMusculoskeletal system	RTECS (Registry of Toxic	

Inhalation (Gas) Exposure Route

No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on the classification principles, not classified as hazardous to the environment.

Product Ecological Data

Aquatic toxicity

Fish

No data available

Crustacea

No data available

Algae

No data available

Terrestrial toxicity

Soil

No data available

Vertebrates

No data available

Invertebrates

No data available

Product Name StablCal ® Standard, 20 NTU Revision Date 18-Nov-2016 Page 15 / 21

Ingredient Ecological Data

Aquatic toxicity

Fish If available, see ingredient data below

Fish	If available, see ingredient data below					
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data	
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	96 hours	Alburnus alburnus	LC50	> 10000 mg/L	No information available	
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	96 hours	None reported	LC50	56 mg/L	IUCLID (The International Uniform Chemical Information Database)	
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	Morone saxatilis	LC50	6.7 mg/L	PEEN (Pan European Ecological Network)	
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	96 hours	Oncorhynchus mykiss	LC50	36.7 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)	
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data	
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	96 hours	Pimephales promelas	LC50	7960 mg/L	IUCLID (The International Uniform Chemical Information Database)	
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	None reported	LC50	52.5 mg/L	PEEN (Pan European Ecological Network)	
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	96 hours	None reported	LC50	365 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)	

Crustacea	stacea If available, see ingredient data below						
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data		
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	48 Hours	Daphnia magna	EC50	> 36000 mg/L	EPA (United States Environmental Protection Agency)		
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	48 Hours	Daphnia magna	EC50	3150 mg/L	IUCLID (The International Uniform Chemical Information Database)		
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	Daphnia pulex	EC50	5.8 mg/L	PEEN (Pan European Ecological Network)		
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	48 Hours	None reported	LC50	14 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)		
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data		
Formaldehyde (<0.1%) CAS#: 50-00-0	48 hours	Daphnia magna	EC50	29 mg/L	PEEN (Pan European Ecological Network)		
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	48 hours	None reported	EC50	59 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident		

Product Name StablCal ® Standard, 20 NTU Revision Date 18-Nov-2016

Page 16 / 21

					Insurance)
Algae		If a	vailable, see i	ngredient data l	below
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	72 hours	Selenastrum capricornutum	EC50	> 100 mg/L	CEPA (Canadian Environmental Protection Agency)

Terrestrial toxicity

Soil

No data available

Vertebrates

No data available

Invertebrates

No data available

Other Information

Canadian Environmental Protection Act (CEPA) - Domestic Substances List (DSL): Environmentally Hazardous Substances Categorizations									
Chemical Name	Category	Persistent	Bioaccumulation	Inherently Toxic to Aquatic Organisms					
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Inorganics	Yes	No	Yes					

Persistence and degradability

None known.

<u>Product Biodegradability Data</u>
If available, see ingredient data below.

Ingredient Biodegradability Data

Test data reported below

Chemical Name	Test method	Biodegradation	Exposure time	Results
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	None reported	70%	28 days	Readily biodegradable

Bioaccumulation

If available, see ingredient data below.

Product Bioaccumulation Data

If available, see ingredient data below.

Ingredient Bioaccumulation Data

No data available

Chemical Name	Test method	Exposure time	Species	Bioconcentrat ion factor (BCF)	Results
Formaldehyde	None reported	None	None reported	None reported	Does not

Product Name StablCal ® Standard, 20 NTU Revision Date 18-Nov-2016 Page 17 / 21

(<0.1%)	reported		have the
CAS#: 50-00-0			potential to
			bioaccumula
			te

Additional information

Product Information

Partition Coefficient (n-octanol/water)

Not applicable

Ingredient Information

Chemical Name	Partition Coefficient (n-octanol/water)	Method
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	log K _{ow} = -2.13	No information available
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	log K _{ow} = -3	No information available
Formaldehyde (<0.1%) CAS#: 50-00-0	log K _{ow} = 0.35	No information available

<u>Mobility</u>

Mobility in soil: High mobility. If available, see ingredient data below.

Product Information

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Ingredient Information

Chemical Name	Soil Organic Carbon-Water Partition Coefficient	Method
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	log K₀c = 2.68	No information available
Sodium sulfate (0.1 - 1%) CAS#: 7757-82-6	log K _{oc} = -1.4	Estimation through KOCWIN v2.00 part of the Estimation Programs Interface (EPI) Suite™
Formaldehyde (<0.1%) CAS#: 50-00-0	log K₀c = 0.89	No information available

Additional information

Water solubility

Product Information

Water solubility classification	<u>Water solubility</u>	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Ingredient Information

Chemical Name	Water solubility classification	Water solubility	Water solubility temperature °C	
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	Completely soluble	667000 mg/L	20 °C	68 °F

Product Name StablCal ® Standard, 20 NTU Revision Date 18-Nov-2016

Page 18 / 21

CAS#: 100-97-0				1
Sodium sulfate CAS#: 7757-82-6	Completely soluble	160000 mg/L	20 °C	68 °F
Formaldehyde CAS#: 50-00-0	Completely soluble	> 40000 mg/L	20 °C	68 °F
Ammonium sulfate CAS#: 7783-20-2	Completely soluble	767000 mg/L	25 °C	77 °F

Other adverse effects

Contains a substance with an endocrine-disrupting potential.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national, and local laws and

regulations.

Contaminated packaging

Dispose of in accordance with federal, state and local regulations.

US EPA Waste Number

Not applicable, U122

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde 50-00-0	U122	Included in waste streams: K009, K010,	-	U122
		K038, K040, K156, K157		

14. TRANSPORT INFORMATION

DOT S

Special Provisions

Not regulated

<u>TDG</u>

Not regulated

<u>IATA</u>

Not regulated

IMDG

Not regulated

Note:

No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA DSL/NDSL Complies Complies

TSCA- United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL- Canadian Domestic Substances List/Non-Domestic Substances List

Product Code(s) 2660101 Issue Date 06-Jul-2016

Version 4

Product Name StabiCal ® Standard, 20 NTU

Revision Date 18-Nov-2016

Page 19/21

International Inventories

EINECS/ELINCS Complies **ENCS** Complies **IECSC** Complies Complies **KECL** Complies **PICCS** Complies TCSI Complies **AICS NZIoC** Complies

EINECS/ELINCS- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS- Japan Existing and New Chemical Substances

IECSC- China Inventory of Existing Chemical Substances

KECL- Korean Existing and Evaluated Chemical Substances

PICCS- Philippines Inventory of Chemicals and Chemical Substances

TCSI- Taiwan Chemical Substances Inventory

AICS- Australian Inventory of Chemical Substances

NZIoC- New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Formaldehyde (CAS #: 50-00-0)	0.1
Ammonium sulfate (CAS #: 7783-20-2)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	Х

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0			RQ 45.4 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical Name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde	Release - Toxic (solution)
(<0.1%)	
CAS#: 50-00-0	

Product Name StabiCal ® Standard, 20 NTU Revision Date 18-Nov-2016

Page 20/21

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	Х	-	-
Sodium sulfate 7757-82-6	-	Х	X
Formaldehyde 50-00-0	X	х	X
Ammonium sulfate 7783-20-2	-	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and Chemical Properties -
HMIS	Health hazards - 2	Flammability - 0	Physical hazards - 0	Personal protection - X
				- See section 8 for more
				information

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH

Immediately Dangerous to Life or Health

ACGIH NDF

ACGIH (American Conference of Governmental Industrial Hygienists)

no data

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA

TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

MAC

Maximum Allowable Concentration

Ceiling

Ceiling Limit Value

Χ

Listed

Vacated

These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these

"liberated" exposure limits in their state regulations.

SKN*

Skin designation

SKN+

Skin sensitization Hazard Designation

RSP+

Respiratory sensitization

Product Name StablCal ® Standard, 20 NTU **Revision Date** 18-Nov-2016

Page 21/21

R

C Carcinogen M mutagen Reproductive toxicant

Prepared By

Hach Product Compliance Department

Issue Date

06-Jul-2016

Revision Date

18-Nov-2016

Revision Note

None

<u>Disclaimer</u>

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2016

End of Safety Data Sheet

		AWKitchenenen
		hidocoanumato/ _A /yemps
		2/Assassas, ———————————————————————————————
		A A A A A A A A A A A A A A A A A A A
		A Promonent Transport

		www.kim.com.com.com.com.com.com.com.com.com.co
		m-ya-rommules (1998)
		i de la companya de l
		THE STATE OF THE S
		-
		277
		SWEETENALLENGER
		THE ROLL OF THE PARTY OF THE PA
		WOUTENANT WAS READED.
		7777 TO THE PARTICULAR PRACTICAL LANGEST
		Activity Williams
		AAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
		THE STATE OF THE S
		oxxii jirti Arisi garaxxx
		Potenti béstresses
		ψησοριακό